
ERGODYNEXAURA ERGODYNEXAURA ERGODYNEXAURA ERGODYNEXAURA

ERGONNEW AND A

ERGERGER BERGER

ERG


ERG



www.auraendustriyel.com

ERGODYNEXAURA ERGODYNEXAURA ERGODYNEXAURA ERGODYNEXAURA

# CHILL-ITS 6710 EVAPORATIVE COOLING BANDANA TRIANGLE HAT - POLYMERS, TIE CLOSURE



- Activate by soaking in water for 2-5 minutes
- Re-usable: just soak in water to re-activate
- Stars & Stripes, Camouflage, Red Western, Navy Western, Solid Blue, Lime, Flames, Skulls
- Tie closure

	SPECIFICATIONS	
# AIRFLOW	CLOSURE	TIE
	CONSTRUCTION	ADJUSTABLE
	COOLING HOURS	UP TO 4 HOURS
	COOLING TYPE	EVAPORATIVE, WET COOLING
	MATERIALS	COTTON
	PRODUCT FEATURES	ABSORBENT, HARD HAT COMPATIBLE LIGHTWEIGHT
// WATER // AC	CRYLIC POLYMEI PRODUCT TYPE	HAT/CAP
	PROTECTION	WARM TEMPERATURE PROTECTION
// COOLS BODY — // COOLS	BODY RISK/INJURY	HEAT STRESS
	STYLE	TRIANGLE HAT
	TECHNOLOGY	ACRYLIC POLYMERS

# Chill-Its 6700 Evaporative Cooling Bandana Headband - Polymers, Tie Closure







NTI-ODOR EATMENT

KEEPS FUNKY AND UNPLEASANT ODORS UNDER CONTROL

**UPF 50+ PROTECTION** 

Chill-Its 6690 Cooling Arm Sleeves - Performance Knit



**FEATURES** 

**SPECIFICATIONS** 

- DURABLE & COMFORTABLE Performance knit fabric is soft, stretchable and durable
- LONG-LASTING EFFECT Instant cooling when wet that can last for hours
- MOISTURE WICKING Wicks moisture when dry to absorb sweat from the body
- UPF 50+ PROTECTION Blocks harmful UV rays

### **CAN BE WORN** WET OR DRY

- » WET SLEEVES INSTANT COOLING WHEN WET THAT CAN LAST FOR HOURS.
- » DRY SLEEVES WICKS MOISTURE AWAY TO ABSORB SWEAT FROM THE BODY



CLOSURE	SLIDE ON
COOLING HOURS	UP TO 2 HOURS
COOLING TYPE	EVAPORATIVE, WET COOLING
MATERIALS	MICROFIBER, POLYESTER, SPANDEX
PRODUCT FEATURES	ANTI-ODOR, LIGHTWEIGHT, MACHINE WASHABLE, MOISTURE WICKING, REFLECTIVE ACCENTS
PRODUCT TYPE	SLEEVES
PROTECTION	REFLECTIVE, UV/SUN PROTECTION, WARM TEMPERATURE PROTECTION
RISK/INJURY	HEAT STRESS

# Chill-Its 6700 Evaporative Cooling Bandana Headband - Polymers, Tie Closure

#### **QUICK ACTIVATION**

SOAK IN WATER FOR 2-5 MINUTES TO ACTIVATE COOLING TECHNOLOGY



#### **VERSATILE & LOW-PROFILE**

WEAR COMFORTABLY ON HEAD, UNDER A HARD HAT OR AROUND NECK






## **FEATURES**

SPECIFICATIONS

STYLE

TECHNOLOGY





- LOW-PROFILE For no-bulk wear under hard hats
- TIE CLOSURE Adjustable for a snug, comfortable fit on a variety of head sizes



#### **EVAPORATIVE COOLING TECHNOLOGY**

POLYMER CRYSTALS EASILY ACTIVATE FOR COOL RELIEF ON HOT DAYS




#### TIE CLOSURE CONSTRUCTION **ADJUSTABLE COOLING HOURS UP TO 4 HOURS COOLING TYPE** EVAPORATIVE, WET COOLING COTTON MATERIALS PRODUCT FEATURES ABSORBENT, HARD HAT COMPATIBLE, LIGHTWEIGHT PRODUCT TYPE BANDANA PROTECTION WARM TEMPERATURE PROTECTION RISK/INJURY HEAT STRESS

HEADBAND

ACRYLIC POLYMERS

## Chill-Its 6601 Economy Evaporative Cooling Towel - PVA







## Chill-Its 6601 Economy Evaporative Cooling Towel - PVA

- 20% THINNER Now 20% thinner than the Chill-Its 6602 Cooling Towel for lighter-weight, less-bulky cooling
- HOW DOES IT WORK? Cooling PVA material absorbs water and creates a cooling sensation as it evaporates
- INSTANT COOLING RELIEF Run under water for one minute or until saturated, wring out excess water for drip free cooling
- LONG LASTING Can last for up to 4 hours on a single soak. Simply re-wet to increase cooling duration

SPECIFICATIONS	
COOLING HOURS	UP TO 2 HOURS
COOLING TYPE	EVAPORATIVE, WET COOLING
PRODUCT FEATURES	ABSORBENT, MACHINE WASHABLE
PRODUCT TYPE	TOWEL
PROTECTION	UV/SUN PROTECTION, WARM TEMPERATURE PROTECTION
RISK/INJURY	HEAT STRESS
TECHNOLOGY	PVA

# Chill-Its 6603 Evaporative Cooling Band Towel - PVA





#### **EVAPORATIVE COOLING TECHNOLOGY**

PVA EASILY ACTIVATES WITH WATER FOR COOL RELIEF ON HOT DAYS





29.5IN (75CM)

- COMFORTABLE When wet, band remains soft and bulk-free for wear around the neck
- INSTANT COOLING RELIEF Hyper-evaporative PVA easily activates with water for up to four hours of cooling
- STAY-PUT DESIGN Unique pull-through slot secures band around neck for fuss-free all-day wear
- SUN PROTECTION UPF 50+ protection from harmful UV rays

SPECIFICATIONS	
COOLING HOURS	UP TO 4 HOURS
COOLING TYPE	EVAPORATIVE, WET COOLING
PRODUCT FEATURES	ABSORBENT, MACHINE WASHABLE
PRODUCT TYPE	BAND, TOWEL
PROTECTION	UV/SUN PROTECTION, WARM TEMPERATURE PROTECTION
RISK/INJURY	HEAT STRESS
TECHNOLOGY	PVA

# Chill-Its 6487R Reflective Cooling Multi-Band





## **MULTIPLE WAYS TO WEAR**

WIDE VARIETY OF STYLE AND **USAGE CONFIGURATIONS** 











**HEADBAND** MASK

BALACLAVA





HAIRBAND

WRISTBAND









SKULL CAP

**DEW RAG** 



**SPECIFICATIONS** 

- HI-VIS COLORS Bright lime and orange color options boost visibility during the day
- MULTIPLE WAYS TO WEAR Wide variety of style and usage configurations
- PROTECTS AGAINST WIND, SUN & DUST Ultimate defense from the elements
- REFLECTIVE Segmented reflective strips enhance low-light and nighttime visibility



SEGMENTED REFLECTIVE

STRIPS BOOST VISIBILITY TO KEEP WEARERS SAFE

#### **COOLING HOURS** UP TO 2 HOURS **COOLING TYPE** WET COOLING, EVAPORATIVE MATERIAL LAYERS 1-LAYER MATERIALS POLYESTER, SPANDEX PRODUCT FEATURES ANTI-ODOR, HARD HAT COMPATIBLE, LIGHTWEIGHT, MACHINE WASHABLE, MOISTURE WICKING, REFLECTIVE ACCENTS

PRODUCT TYPE	MULTI-BANDS / GAITERS
PROTECTION	WARM TEMPERATURE PROTECTION, UV/SUN PROTECTION, REFLECTIVE
RISK/INJURY	HEAT STRESS



# Squids 3100 Tool Lanyard - Carabiner and Cinch Loop - 10lbs

#### **TESTED & APPROVED**

MEETS ANSI/ISEA 121-2018 STANDARD FOR DROPPED OBJECT PREVENTION



#### **SHOCK ABSORBING**

LESSENS FORCE ON BODY OR ANCHOR POINT IF DROP OCCURS


# ALUMINUM SCREW-GATE LOCKING CARABINER

CAPTIVE EYE PREDICTS LOAD DIRECTION & PREVENTS CARABINER-LANYARD DISCONNECTION



## **TETHER TOOLS AT HEIGHTS**

PREVENT DROPPED OBJECTS



- CAPTIVE EYE DESIGN Better predicts direction of load on carabiner and prevents lanyard from sliding into carabiner gate
- DURABLE Made with shock-absorbing tubular nylon webbing and lock stitching at both ends for added security
- LOCKING SCREWGATE ALUMINUM CARABINER For easy, secure attachment to tools
- MEETS ANSI/ISEA 121-2018 Third party certified to an 10lb // 4.5kg maximum working capacity with a 2:1 safety factor




CARABINERS	SCREW-GATE LOCKING, SINGLE CARABINER
LANYARD TYPE	LOOP END, SHOCK ABSORBING
MATERIALS	ALUMINUM, ELASTIC, NYLON
MAX WEIGHT RATING	10 LBS / 4.5 KG
PRODUCT FEATURES	REFLECTIVE ACCENTS
PRODUCT TYPE	LANYARD
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121

## Squids 3105 Tool Lanyard - Carabiner and Cinch Loop - 15lbs

# LOCKING SCREW-GATE ALUMINUM CARABINER

CAPTIVE EYE PREDICTS LOAD DIRECTION & PREVENTS CARABINER-LANYARD DISCONNECTION





#### **LOW-PROFILE CINCH LOOP + BARREL LOCK**

DETACHMENT

FOR ANCHORING AND SECURE TETHERING TO SMALL CAPTIVE HOLES IN TOOLS

### **FLEXIBLE ELASTIC WEBBING**

REDUCES SNAG HAZARDS AND TANGLES



#### TETHER TOOLS AT HEIGHTS

PREVENT DROPPED OBJECTS



# Squids 3105 Tool Lanyard - Carabiner and Cinch Loop - 15lbs



MEETS ANSI/ISEA 121 STANDARD FOR DROPPED OBJECT PREVENTION






- CAPTIVE EYE DESIGN Better predicts direction of load on carabiner and prevents lanyard from sliding into carabiner gate
- FLEXIBLE ELASTIC WEBBING Reduces snag hazards and tangles
- LOCKING SCREW-GATE ALUMINUM CARABINER For easy, secure attachment to tools
- MEETS ANSI/ISEA 121-2018 Third party certified to 15lbs // 6.8kg maximum working capacity with a 2:1 safety factor

SPECIFICATIONS	
CARABINERS	SCREW-GATE LOCKING, SINGLE CARABINER
LANYARD TYPE	LOOP END
MATERIALS	ALUMINUM, POLYESTER
MAX WEIGHT RATING	15 LBS / 6.8 KG
PRODUCT TYPE	LANYARD
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121

# Squids 3110F(x) Tool Lanyard - Dual Carabiners - 10lbs

#### **SHOCK ABSORBING**

LESSENS FORCE ON BODY OR ANCHOR POINT IF DROP OCCURS



CAPTIVE EYE PREDICTS LOAD DIRECTION & PREVENTS LANYARD/CARABINER DISCONNECTION DURING USE

**ALUMINUM ALLOY** 

MANUAL-LOCKING CARABINER



#### **TESTED & APPROVED**

MEETS ANSI/ISEA 121-2018 STANDARD FOR DROPPED OBJECT PREVENTION



#### **TETHER TOOLS AT HEIGHTS**

PREVENT DROPPED OBJECTS





- Approved to the ANSI/ISEA 121-2018 standard
- Durable 1680 denier polyester elastic blended webbing extends from 38-48ii (96-122cm)
- Low profile lightweight design reduces snag hazards and added weight
- Shock absorbing properties reduce the dynamic force on the body or other anchor point if drop occurs

SPECIFICATIONS	
CARABINERS	MULTIPLE CARABINERS, SCREW- GATE LOCKING
LANYARD TYPE	SHOCK ABSORBING
MATERIALS	ALUMINUM, ELASTIC, POLYESTER
MAX WEIGHT RATING	10 LBS / 4.5 KG
PRODUCT TYPE	LANYARD
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121

# Squids 3114 Pull-On Wrist Tool Lanyard - Carabiner - 3lbs











## **FEATURES**

- Approved to the ANSI/ISEA 121-2018 standard
- Elastic maintains snug fit
- One size fits all
- Pull-on design is easy to take on and off



## **SPECIFICATIONS**

CARABINERS	SCREW-GATE LOCKING, SINGLE CARABINER
LANYARD TYPE	SHOCK ABSORBING, WRIST
MATERIALS	ELASTIC, POLYESTER, STAINLESS STEEL
MAX WEIGHT RATING	3 LBS / 1.4 KG
PRODUCT TYPE	LANYARD
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121

# SQUIDS 3115 WRIST TOOL LANYARD - 2LBS



## **FEATURES**

- Adjustable loop with barrel lock for tool attachment
- Approved to the ANSI/ISEA 121-2018 standard
- Energy absorbing ribbed pull cord
- Polyester webbing cuff secures to wrist

SHOCK ABSORBING, WRIST, WRIST
ELASTIC, POLYESTER
2 LBS / 0.9 KG
LANYARD
FALLING OBJECTS
ANSI/ISEA 121

## **ORDER MULTIPLES**

ITEMS			
ITEM #	COLOR	SIZE	
19042	BLACK	S/M	
19052	BLACK	L/XL	

# SQUIDS 3118F(X) TOOL LANYARD - DUAL LOCKING CARABINERS - 15LBS





## **FEATURES**

- Approved to the ANSI/ISEA 121-2018 standard
- Durable 1680 denier polyester elastic blended webbing extends from 38-48in (96-122cm)
- Low profile lightweight design reduces snag hazards and added weight
- Shock absorbing properties reduce the dynamic force on the body or other anchor point if drop occurs

CARABINERS	AUTO-LOCKING, MULTIPLE CARABINERS
LANYARD TYPE	SHOCK ABSORBING
MATERIALS	ALUMINUM, ELASTIC, POLYESTER
MAX WEIGHT RATING	15 LBS / 6.8 KG
PRODUCT TYPE	LANYARD
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121



ITEMS			
ITEM #	COLOR	SIZE	
19828	ORANGE AND GRAY	STANDARD	



# SQUIDS 3102F(X) TOOL LANYARD - DETACHABLE CARABINER AND CINCH LOOP - 5LBS



Squids 3102F(x) Tool Lanyard - Detachable Carabiner and Cinch Loop - 5lbs



## **FEATURES**

- Approved to the ANSI/ISEA 121-2018 standard
- Durable 1680 denier polyester elastic blended webbing extends from 38-48in (96-122cm)
- Low profile lightweight design reduces snag hazards and added weight
- Shock absorbing properties reduce the dynamic force on the body or other anchor point if drop occurs



CARABINERS	SCREW-GATE LOCKING, SINGLE
UMRADINERS	SA-STERNOOS-SHURKSON
	CARABINER
LANYARD TYPE	LOOP END, MODULAR, SHOCK
	ABSORBING
MATERIALS	ALUMINUM, ELASTIC, POLYESTER
MAX WEIGHT RATING	5 LBS / 2.3 KG
PRODUCT TYPE	LANYARD
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121

## **ORDER MULTIPLES**

ORDER IN MULTIPLES OF:

Н	ı	Ħ	9	ж.	N
	L	L	۹	и	Р.

ITEM #	COLOR	SIZE
19864	ORANGE AND GRAY	STANDARD

6

# SQUIDS 3700 WEB TOOL TETHER ATTACHMENT – D-RING TOOL TAILS

#### **TETHER TOOLS AT HEIGHTS**

TESTED & APPROVED TO ANSI/ISEA 121 FOR DROPPED OBJECT PREVENTION



AFFIX TO HAND TOOLS

**FOR TETHERING** 



### **EASY INSTALLATION**

SECURE WITH SQUIDS® 3775 SELF-ADHERING TAPE (SOLD SEPARATELY)







- BUILT TO LAST Heavy-duty nylon webbing, high tensile strength nylon thread and double stitched web catch for durability in harsh conditions
- DURABLE D-RING Captive hole for attaching tool lanyards
- MEETS ANSI/ISEA 121-2018 Third party certified to an 2lbs // 0.9kg maximum working capacity with a 2:1 safety factor
- RETROFIT ATTACHMENT POINT FOR TOOL TETHERING Affix to small hand tools or anchor points to create an attachment point for tethering tool lanyards

SPECIFICATIONS	
MATERIALS	NYLON
MAX WEIGHT RATING	2 LBS / 0.9 KG
PRODUCT TYPE	TOOL ATTACHMENT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121
TOOL GEOMETRY	CAPTIVE HANDLE, CAPTIVE WAIST, NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS, HAMMERS / STRIKING, PLIERS / CUTTING, POWER TOOLS, PRY / WRECKING BARS, WRENCHES



# SQUIDS 3755 SELF-ADHERING TAPE TRAP - 12FT ROLL











- Approved to the ANSI/ISEA 121-2018 standard
- Fiber glass reinforcement for added durability
- No adhesives so it can be removed with no mess
- Requires no heat source for application

SPECIFICATIONS	
MATERIALS	SILICONE
MAX WEIGHT RATING	15 LBS / 6.8 KG
PRODUCT FEATURES	NON-MARRING
PRODUCT TYPE	TOOL ATTACHMENT
PROTECTION	NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121
TOOL GEOMETRY	CAPTIVE HANDLE, CAPTIVE WAIST NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS, HAMMERS / STRIKING, PLIERS / CUTTING, POWER TOOLS, PRY / WRECKING BARS, WRENCHES

# PROFLEX 435 COMFORT HINGED GEL KNEE PADS – BUCKLES, HARD CAP







# ProFlex 435 Comfort Hinged Gel Knee Pads - Buckles, Hard Cap

## **FEATURES**

- ALL DAY COMFORT New Comfort Hinge technology sets a new bar in comfort by placing the top strap higher on the leg, which keeps you walking out of the front of the knee pad
- BEST COMBO OF GRIP AND SLIDE The slip-resistant rubber hard cap is the perfect combination of grip and slide so you can work your way
- CUSHION TO LAST Gel foam and NBR foam offers lightweight cushion for all-day comfort
- KNEE PAD STAYS UP The Comfort Hinge plus upper and lower elastic straps with locking buckles keep the pads from sliding while still allowing for superior mobility

CLOSURE	BUCKLE
CONSTRUCTION	HINGED DESIGN
MATERIALS	GEL, RUBBER
PERFORMANCE	PIVOT & SWIVEL
PRODUCT FEATURES	NON-MARRING
PRODUCT TYPE	KNEE PADS
RISK/INJURY	KNEE INJURY

## **ORDER MULTIPLES**

ORDER IN MULTIPLES OF:

1

# ARSENAL 5561 SMALL TOOL AND RADIO HOLSTER – BELT LOOP









## Arsenal 5561 Small Tool and Radio Holster - Belt Loop

## **FEATURES**

- 1680D ballistic polyester is abrasion resistant
- Approved to the ANSI/ISEA 121-2018 standard
- Holds Channellocks, pliers, wrenches, radios, and cell phones, and more
- Two exterior D-rings for tool lanyard attachment

CONSTRUCTION	MODULAR
MATERIALS	POLYESTER
MAX WEIGHT RATING	5 LBS / 2.3 KG
POCKETS/HOLDERS	1 POCKET, EXTERIOR POCKETS
PRODUCT FEATURES	LANYARD ATTACHMENT POINTS, REFLECTIVE ACCENTS
PRODUCT TYPE	HOLSTER/HOLDER
PROTECTION	ABRASION RESISTANT
STANDARDS/COMPLIANCE	ANSI/ISEA 121
STORAGE ATTACHMENT TYPE	DETACHABLE BELT LOOP
TOOL OR EQUIPMENT TYPE	CELLPHONE, RADIO / WALKIE TA

## **ORDER MULTIPLES**

ITEMS		
ITEM #	COLOR	
13561	GRAY	

# SQUIDS 3400 GLOVE CLIP HOLDER - DUAL CLIPS

### SIX COLORS AVAILABLE

GRANITE, BLACK, BLUE, LIME, ORANGE, RED

#### PATENTED BREAKAWAY DESIGN

SAFELY DETACHES FROM MOUNT FOR USE ON KEY CHAINS, D-RINGS AND MORE



#### DURABLE

ON-CONDUCTIVE AND TEMPERATURE-RESISTANT MATERIALS, BREAK STRENGTH: 26LBS // 11.8KG




## Squids 3400 Glove Clip Holder - Dual Clips (100-Pack)

## **FEATURES**

- DURABLE Ultra-resilient acetal copolymer and thermoplastic polyurethane materials are non-conductive and temperature resistant
- KEEPS GEAR CLOSE Holds face masks, gloves, mittens, keys, PPE, towels and more keeping them at the ready
- PATENTED BREAKAWAY DESIGN Safely separates and allows for individual clips to be used independently on key chains, d-rings and more
- TWO STRONG CLIPS Dual clip model connects to clothing, belt loops, tool belts, d-rings and more

# TWO STRONG CLIPS

DUAL CLIP CONNECTS TO BELT LOOPS, TOOL BELTS, D-RINGS AND MORE



SPECIFICATIONS	
CONSTRUCTION	DETACHABLE
GLOVE CLIP TYPE	DUAL CLIPS
MATERIALS	PLASTIC
PRODUCT TYPE	GLOVE CLIPS
PROTECTION	NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
TOOL OR EQUIPMENT TYPE	GLOVES

## **ORDER MULTIPLES**

ITEMS		
ITEM #	COLOR	
19313-BULK	RED	
19315-BULK	GRANITE	
19712-BULK	BLACK	